

**GCE** 

# **Physics A**

Advanced Subsidiary GCE

Unit **G481**: Mechanics

# Mark Scheme for June 2011

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of pupils of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by Examiners. It does not indicate the details of the discussions which took place at an Examiners' meeting before marking commenced.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the Report on the Examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

#### © OCR 2011

Any enquiries about publications should be addressed to:

OCR Publications PO Box 5050 Annesley NOTTINGHAM NG15 0DL

Telephone: 0870 770 6622 Facsimile: 01223 552610

E-mail: publications@ocr.org.uk

#### CATEGORISATION OF MARKS

The marking schemes categorise marks on the MACB scheme.

**B** marks: These are awarded as <u>independent</u> marks, which do not depend on other marks. For a **B**-mark to be scored, the point to which it

refers must be seen specifically in the candidate's answers.

M marks: These are method marks upon which A-marks (accuracy marks) later depend. For an M-mark to be scored, the point to which it

refers must be seen in the candidate's answers. If a candidate fails to score a particular M-mark, then none of the dependent

**A**-marks can be scored.

C marks: These are compensatory method marks which can be scored even if the points to which they refer are not written down by the

candidate, providing subsequent working gives evidence that they must have known it. For example, if an equation carries a **C**-mark and the candidate does not write down the actual equation but does correct working which shows the candidate knew the equation,

then the **C**-mark is given.

A marks: These are accuracy or <u>answer</u> marks, which either depend on an **M**-mark, or allow a **C**-mark to be scored.

# Note about significant figures:

Significant figures are rigorously assessed in the practical skills.

If the data given in a question is to 2 sf, then allow answers to 2 or more significant figures.

If an answer is given to fewer than 2 sf, then penalise once only in the entire paper.

Any exception to this rule will be mentioned in the Additional Guidance.

|   | Question |    | Expected Answers   | Marks | Additional Guidance   |
|---|----------|----|--|-------|---|
| 1 | a        | i  | work (done) / (elastic potential) energy                                       | B1    | Not: heat / gravitational potential energy / kinetic energy |
|   |          | ii | displacement / distance  | B1    |   |
|   | b        |    | Any two from:  Torque (of a couple)  Moment (of a force)  Work (done) / energy | B1×2  | Not: 'Couple' for 'torque' Allow: PE / KE                   |
|   |          |    | Total  | 4     |   |

| Qu | esti | on | <b>Expected Answers</b>  | Marks    | Additional Guidance  |
|----|------|----|--|----------|--|
| 2  | a    |    | density = mass/volume or 'density is mass <u>per</u> (unit) volume'  | B1       | <b>Allow</b> : $\rho = \frac{M}{V}$ , where $M = \text{mass and } V = \text{volume}$<br><b>Not</b> : mass per m <sup>3</sup>   |
|    | b    | i  | Dramatic change(s) in <u>density</u> (at 3.0 Mm and 5.1 Mm) (AW)   | B1       | <b>Not</b> : There are three (distinct) layers / Each layer has different density  |
|    |      | ii | mass = $0.18 \times 6.0 \times 10^{24}$ (= $1.08 \times 10^{24}$ kg)<br>or<br>radius = $1.3 \times 10^{6}$ (m)<br>volume = $\frac{4}{3}\pi \times (1.3 \times 10^{6})^{3}$<br>density = $\frac{1.08 \times 10^{24}}{9.20 \times 10^{18}}$<br>density = $1.2 \times 10^{5}$ (kg m <sup>-3</sup> ) | C1 C1 A1 | Note: The first C1 mark is for determining the mass or the radius of core Possible $10^n$ errors  Bald answer of $1.2 \times 10^5$ (kg m <sup>-3</sup> ) or $1.17 \times 10^5$ (kg m <sup>-3</sup> ) scores 3 marks  Allow: 2 marks for $\frac{6.0 \times 10^{24}}{9.20 \times 10^{18}} = 6.5 \times 10^5$ (factor of 0.18 missed out)  Note: The last two C1 and A1 marks cannot be scored if incorrect radius is used. Hence no further marks for $\frac{1.08 \times 10^{24}}{\frac{4}{3}\pi \times (5.1 \times 10^6)^3}$ or $\frac{1.08 \times 10^{24}}{\frac{4}{3}\pi \times (5.1 \times 10^6)^3}$ , etc |
|    |      |    | Total  | 5        |  |

| Qu | esti | on | Expected Answers  | Marks    | Additional Guidance  |
|----|------|----|---|----------|--|
| 3  | a    |    | A quantity with magnitude / size and direction  | B1       |  |
|    |      |    | Suitable example: displacement / velocity / acceleration / force / weight etc                           | B1       |  |
|    | b    | i  | $F_x = F \cos \theta$<br>$7.0 = F \times \cos 30$<br>F = 8.1  (N) or  8.08  (N)                         | C1<br>A1 | Allow: 1 mark for 'radian' error; answer is 45.3 (N)<br>Note: No marks for ' $7.0 \times \cos 30 = 6.06$ N'  |
|    |      | ii | 1<br>$W = 7.0 \times 5.0$ or $W = 8.08 \times 5.0 \times \frac{\cos 30}{\cos 30}$<br>work done = 35 (J) | C1<br>A1 | Possible ecf Note: If answer for (b)(i) is 6.06 (N), then ' $6.06 \times 5.0 \times \underline{\cos 30} = 26.2$ (J)' scores 2/2 because of ecf   |
|    |      |    | 2 'power' = 35/4.2<br>= 8.3 (W)   | B1       | Possible ecf   |
|    | c    | i  | Magnitude is 120 (N) / equal to weight  | B1       |  |
|    |      |    | Direction is (vertically) up / opposite to weight   | B1       |  |
|    |      | ii | Correct diagram  Correct detail on diagram  70 N  120 N   | M1 A1    | <b>Note</b> : For the M1 mark, the basic diagram must have all sides labelled (70, 120 and <i>T</i> ) and the angle between 70 (N) and <i>T</i> is judged by eye to be 90° <b>Note</b> : For the A1 mark, all the arrows are marked and cyclic |
|    |      |    | $120^2 = 70^2 + T^2$  | C1       |  |
|    |      |    | T = 97  (N) or  97.5  (N)   | A1       | <b>Note</b> : For the C1 A1 marks, $T = \sqrt{120^2 + 70^2} = 140$ scores zero <b>Allow:</b> 2 marks for <i>T</i> in the range of 94 (N) to 100 (N) if scale drawing is done   |
|    |      |    | Total   | 13       |  |

| Qυ | ıesti | on  | Expected Answers  | Marks | Additional Guidance   |
|----|-------|-----|---|-------|---|
| 4  | a     |     | Any two from:   | B1×2  | Not: shape / size   |
|    |       |     | • (surface) texture / 'aerodynamic' (shape)                     |       | Allow: 'streamlining'   |
|    | b     | i   | Correct directions of arrows W and D                            | B1    | Award the mark for two arrows in opposite directions as long as <u>one</u> of them is labelled  |
|    |       | ii  | weight = $75 \times 9.81$                                       |       | <b>Reminder</b> : weight can be quoted to more than 2 sf (e.g. 735.75)  |
|    |       |     | weight = 736 (N) or 740 (N)                                     | B1    | <b>Not</b> : '75 × 10 = 750 N'  |
|    |       | iii | $D = 0.30 \times 20^2 $ (= 120 N)                               | C1    |   |
|    |       |     | 736 - 120 = 75a   | C1    |   |
|    |       |     | $a = 8.2 \text{ (m s}^{-2})$                                    | A1    | Allow: Answer to 2sf or more  Bald answer of 8.2 or 8.21 scores 3 marks  Note: Using 740 (N) gives an answer 8.3 (m s <sup>-2</sup> ) |
|    |       | iv  | (D and W are) equal   | B1    | <b>Not</b> : <i>D</i> and <i>W</i> are 'balanced/equilibrium'   |
|    |       | v   | drag = weight   |       |   |
|    |       |     | $736 = 0.30 \times v^2$   | C1    |   |
|    |       |     | $v = 49.5 \text{ (m s}^{-1}) \text{ or } 50 \text{ (m s}^{-1})$ | A1    | <b>Bald</b> answer of 49.5 (m s <sup>-1</sup> ) or 50 (m s <sup>-1</sup> ) scores 2 marks   |
|    |       |     | Total   | 10    |   |

| Qu | ıesti | on        | Expected Answers  | Marks                      | Additional Guidance   |
|----|-------|-----------|---|----------------------------|---|
| 5  | a     | <u>on</u> | Measurements: height (of wall) time (of fall) Instruments: ruler / tape (measure) stopwatch / timer / clock /video $g = \frac{2s}{t^2} / g = 2 \times \text{gradient of } s\text{-}t^2 \text{ graph}$ Note: Allow full credit if candidate has used alternative approaches using $v^2 = u^2 + 2as$ or $v = u + at$ .  Any two from: $g$ is an estimate because  • air resistance / drag ignored  • parallax problems with 'landing time'  • starting / stopping the clock | B1<br>B1<br>B1<br>B1<br>B1 | Must use tick or cross on Scoris to show if the mark is awarded  Allow: 'distance (of fall)' instead of 'height'  The 4 <sup>th</sup> B1 can only be scored if stopwatch / timer / clock / video (camera) is spelled correctly  Allow: Use of 'a' instead of 'g'  Note: a must be the subject  Allow: 'wind resistance'/'resistive force' for first bullet point  Allow: 'reaction time' but not 'human error' for the third bullet point |
|    | b     | i         | Radio (waves) / microwaves  | B1                         |   |
|    |       | ii        | to car is determined / 'delay' time for signal is determined  | M1                         | Alleren ann al af li alta / 2 0 m 108 m a-l i anta al af  |
|    |       |           | $distance = c \times (delay) time$  | A1                         | <b>Allow</b> : speed of light $/3.0 \times 10^8 \text{ m s}^{-1}$ instead of $c$<br><b>Note:</b> Distance must be the subject for the second B1 mark  |

| Qu | Question |     | <b>Expected Answers</b>  | Marks | Additional Guidance   |
|----|----------|-----|--|-------|---|
|    |          | iii | Mention of circles / spheres / shells  | B1    | <b>Note</b> : This mark can be scored if a diagram shows circles / arcs (no label required)   |
|    |          |     | The position of the car is where the circles intersect / trilateration mentioned | B1    | <b>Note</b> : This mark can be scored on a diagram if it shows intersecting circles / arcs and the intersection point is marked 'car' |
|    |          |     | Total  | 12    |   |

| Qι | ıesti | ion | Expected Answers  | Marks          | Additional Guidance  |
|----|-------|-----|---|----------------|--|
| 6  | a     |     | Energy can neither be created nor destroyed (but it can be transformed from one form to another) or Total energy of a closed system remains constant                                | В1             |  |
|    | b     | i   | loss in PE = $0.10 \times 9.81 \times 0.60$<br>= $0.59$ (J) or $0.589$ (J)  | B1             |  |
|    |       | ii  | $v^{2} = 2as / v^{2} = 2 \times 2.8 \times 0.60 / v^{2} = 3.36$<br>$v = \sqrt{2 \times 2.8 \times 0.60} \text{ or } v = 1.833 \text{ or } v = 1.83$<br>$v = 1.8 \text{ (m s}^{-1})$ | M1<br>M1<br>A0 |  |
|    |       | iii | , ,   | C1<br>A1       | Possible ecf from <b>(b)(ii)</b> Note: The answer is 0.42 (J) when 1.83 m s <sup>-1</sup> is used  Allow: 1 mark for 0.162 (J) if 0.10 kg mass is used or for 0.567 (J) if 0.35 kg is used |
|    |       | iv  | (AW)  | B1             | Not: 'There is friction'   |
|    |       |     | Total   | 7              |  |

| Q | uest | tion | Expected Answers   | Marks    | Additional Guidance   |
|---|------|------|--|----------|---|
| 7 | a    | i    | Extension is proportional to force (applied as long as the elastic limit is not exceeded)  | B1       | Must use tick or cross on Scoris to show if the mark is awarded   This B1 can only be scored when 'extension' is spelled correctly  Note: If 'change in length' or 'Δ length' used instead of 'extension', then length must be spelled correctly  Allow: stress ∞ strain as BOD (stress or stain must be spelled correctly) |
|   |      | ii   | $p \to 10^{-12}  n \to 10^{-9}  k = \frac{F}{x} / k = \frac{210 \times 10^{-12}}{0.16 \times 10^{-9}}  force constant = 1.3 (N m-1) or 1.31 (N m-1)$   | C1<br>C1 | Possible ecf <b>Allow:</b> 1 mark for '210/0.16 =1312.5'  |
|   | b    | i    | $E = \text{gradient} / E = \text{stress/strain (linear section)}$ $E = \frac{70 \times 10^6}{0.8 \times 10^{-3}}$ $E = 8.8 \times 10^{10} \text{ (Pa) or } 8.75 \times 10^{10} \text{ (Pa)}$ unit: N m <sup>-2</sup> or Pa | C1 A1 B1 | <b>Allow</b> : An answer in the range $(8.3 \text{ to } 9.1) \times 10^{10} \text{ (Pa)}$ <b>Allow</b> : 1 mark for an answer $8.75 \times 10^n$ , $n \neq 10$ <b>Note</b> : This is an independent mark  |
|   |      | ii   | breaking stress = $6.0 \times 10^{7}$ (Pa)<br>$A = \frac{19}{6.0 \times 10^{7}}$ (Any subject)<br>$A = 3.2 \times 10^{-7}$ (m <sup>2</sup> ) or $3.17 \times 10^{-7}$ (m <sup>2</sup> )                                    | C1<br>A1 | <b>Allow:</b> 1 mark $3.17 \times 10^n$ (m <sup>2</sup> ), $n \ne -7$<br><b>Note:</b> No marks if breaking stress of $\underline{6.0} \times 10^n$ is not used  |

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

#### **OCR Customer Contact Centre**

#### 14 – 19 Qualifications (General)

Telephone: 01223 553998 Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

#### www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)

Head office

Telephone: 01223 552552 Facsimile: 01223 552553

