
A-level Mathematics

MD02 – Decision 2

Mark scheme

6360
June 2016

Version: 1.0 Final Mark Scheme

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Key to mark scheme abbreviations

M	mark is for method
m or dM	mark is dependent on one or more M marks and is for method
A	mark is dependent on M or m marks and is for accuracy
B	mark is independent of M or m marks and is for method and accuracy
E	mark is for explanation
✓ or ft or F	follow through from previous incorrect result
CAO	correct answer only
CSO	correct solution only
AWFW	anything which falls within
AWRT	anything which rounds to
ACF	any correct form
AG	answer given
SC	special case
OE	or equivalent
A2,1	2 or 1 (or 0) accuracy marks
–x EE	deduct x marks for each error
NMS	no method shown
PI	possibly implied
SCA	substantially correct approach
c	candidate
sf	significant figure(s)
dp	decimal place(s)

No Method Shown

Where the question specifically requires a particular method to be used, we must usually see evidence of use of this method for any marks to be awarded.

Where the answer can be reasonably obtained without showing working and it is very unlikely that the correct answer can be obtained by using an incorrect method, we must award **full marks**. However, the obvious penalty to candidates showing no working is that incorrect answers, however close, earn **no marks**.

Where a question asks the candidate to state or write down a result, no method need be shown for full marks.

Where the permitted calculator has functions which reasonably allow the solution of the question directly, the correct answer without working earns **full marks**, unless it is given to less than the degree of accuracy accepted in the mark scheme, when it gains **no marks**.

Otherwise we require evidence of a correct method for any marks to be awarded.

Q1	Solution			Mark	Total	Comment
a	Activity	Early	Late			
	A	0	9	M1		Early times correct at <i>E, F, H</i> and <i>I</i>
	B	0	9			
	C	0	22	A1		All correct
	D	8	15			
	E	14	29	M1		Late times correct at <i>I, H, F</i> and <i>E</i> ft their answer to part (a)
	F	22	29			
	G	22	29			
	H	28	42	A1		All correct
	I	29	41			
	J	41	50			
	K	41	50			
	L	50	58		4	
b(i)	CGIKL			B1	1	
(ii)	2			B1	1	
(c)				M1		SCA, resource histogram, at least 10 labelled activities shown, condone floats.
				A1		Two ‘complete’ horizontal rows, but no ‘vertical gaps’, showing correct progression, correct start times, (condone floats).
				A1		All correct. (no floats) oe
					3	
(d)(i)	A, B, D must be allocated to 1 worker Leading to an answer $63 \leq x < (58 + 11)$ 63			M1		PI by part (ii)
				A1	2	
(ii)	(A, B, D, E), (H, J), L (C, F, G), (I, K), (L)			B1		{A, B}, D, E together and C,{ F, G} together, then H, J together and I, K together
					1	
	Total				12	

Notes:

(a) The 2nd **A** mark is correct answer only (no ft)

(c) For first **A** mark: No ‘vertical gaps’, eg *E* cannot be above *F*, unless *E* is split into 2 sections

Floats seen ‘overlapping’ into next activity can still score first **A1** but not second **A1**

Gantt diagram score **M0**

(d)(i) NMS 63 scores 2/2,

If **M0** scored the B1 mark in (ii) is still available

(d)(ii) answer may be seen in part (i)

{A, B} may be in either order, same for *{F, G}*

Q2	Solution	Mark	Total	Comment	
a	<div><div>x2331</div><div>10100</div><div>9x876</div><div>01000</div><div>4x445</div><div>(A)</div></div> <div><div>or</div><div>x0541</div><div>10532</div><div>1x420</div><div>01432</div><div>0x433</div><div>(B) or (C)</div></div>	M1		Using column or row minima, The 'x' could be a number ≥ 20 , or a 'dash', or omitted At least 4 rows or columns correct (lines, or lack of, are not needed here)	
	<div><div>x1220</div><div>10100</div><div>3x210</div><div>01000</div><div>0x001</div><div>(A)</div></div> <div><div>x0121</div><div>10112</div><div>1x000</div><div>01012</div><div>0x013</div><div>(B)</div></div>	m1		Using row or column minima At least 4 columns or rows correct	
		A1		All numbers correct	
		B1		Correct use of 4 lines	
		m1		Reduce all uncovered elements by 1, Leave all one line elements Add 1 to all double line elements	
				Condone 1 (new) slip, but must have score M1m1	
		<div><div>x0110</div><div>10101</div><div>2x100</div><div>01001</div><div>0x002</div><div>(A)</div></div> <div><div>x0110</div><div>10101</div><div>2x100</div><div>01001</div><div>0x002</div><div>(B)</div></div>			
		<div><div>or</div><div>x0010</div><div>00001</div><div>1x000</div><div>02012</div><div>0x013</div><div>(C)</div></div>	A1		All numbers correct
		Correct use of 5 lines AND optimal	B1		Condone 'complete'
		A4, B2, C5, D3, E1 or A4, B1, C5, D2, E3 or A5, B2, C4, D3, E1 or A5, B1, C4, D2, E3	B1 B1		Three correct allocations All 4 correct and no extras
b	[£] 61	B1	9 1	Condone omission of units	
	Total		10		

Q3	Solution								Mark	Total	Comment
a	<i>P</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>r</i>	<i>s</i>	<i>t</i>		M1	2	3 rows correct (must include slack variables)
	1	-2	3	-4	0	0	0	0			
	0	1	2	1	1	0	0	20			
	0	1	-1	3	0	1	0	24			
	0	3	-2	2	0	0	1	30			
b(i)	20/1, 24/3, 30/2 ALL seen '3' in z-col identified								E1 B1	2	Correct value may be highlighted in table
(ii)	<i>P</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>r</i>	<i>s</i>	<i>t</i>		M1 A1 A1	3	SCA - Row reduction, 1 row correct (other than (shaded) pivot row) Any 3 rows correct All correct
	1	-2/3	5/3	0	0	4/3	0	32			
	0	2/3	7/3	0	1	-1/3	0	12			
	0	1/3	-1/3	1	0	1/3	0	8			
	0	7/3	-4/3	0	0	-2/3	1	14			
(iii)	<i>P</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>r</i>	<i>s</i>	<i>t</i>		B1F M1 A1	3	Row reduction, 1 row correct (other than (shaded) pivot row) All correct
	1	0	9/7	0	0	8/7	2/7	36			
	0	0	19/7	0	1	-1/7	-2/7	8			
	0	0	-1/7	1	0	3/7	-1/7	6			
	0	1	-4/7	0	0	-2/7	3/7	6			
c	18, [24], 6 seen and correct pivot x-col								B1F B1F B1F	3	Max/optimal oe stated in part (c) or end of part (b) FT their values, must be non-negative must be non-negative
	In part (c), FT ONLY IF all non-negative in profit row. All answers must be exact. (isw)										
	Max <i>P</i> = 36										
	<i>x</i> = 6, <i>y</i> = 0, <i>z</i> = 6 <i>r</i> = 8, <i>s</i> = 0, <i>t</i> = 0										
	Total									13	

Notes:**Working for one part may be seen by the previous table****(b)(i)** 20, 8, 15 may be seen without working

Condone intersection of correct row with correct column

(iii) 18, 24, 6 may be unsimplified ratios eg $12 \div (2/3)$, $8 \div (1/3)$, $14 \div (7/3)$

Condone omission of 24, or their pivot 'row' from part (ii)

Condone any row operations that produce an equivalent answer eg multiple of -1

(c) Optimal may appear in a general statement eg 'an optimal solution has been found', and then $P =$

Their slack variables may be different letters, answers must correspond respectively.

Q4	Solution	Mark	Total	Comment
a	For each pair of strategies , whatever one player wins, the other person loses.	E1	1	Must see this statement oe and Row gain + Col gain = 0 oe
b	Row min -5, -5, -3 [Max value -3] Col max -1, 4, 0 [Min value -1] Monica [plays] C and Vladimir [plays] D	M1 A1		All 6 values correct Must be in context
c	Row C dominates Row B [Monica plays A with probability p plays C with probability $1 - p$ [Vladimir plays]	E1	2	Row B is dominated by row C
	D , Monica wins $-p - 2(1 - p) = p - 2$	M1		One expression correct (unsimplified)
	E , Monica wins $-5p + 4(1 - p) = 4 - 9p$	A1	8	All 3 correct (unsimplified)
	F , Monica wins $-3(1 - p) = 3p - 3$			
		M1		Must have exactly three straight lines
		A1		All correct (eg 4 to -5, -2 to -1, -3 to 0) With numbers on vertical axes shown
	Max point at $4 - 9p = p - 2$	m1		Correct equation PI by correct value for p
	$p = \frac{3}{5}$			
	Monica plays A [with probability] $\frac{3}{5}$ oe			
	Monica plays C [with probability] $\frac{2}{5}$ oe	A1		Both statements needed (condone omission of 'play B [with probability] zero')
	Value of game = $\frac{3}{5} - 2$ or $4 - 9 \times \frac{3}{5}$ $= -1.4$ or $-\frac{7}{5}$	A1		Must see correct substitution of $p = 0.6$
	AG			Must include statement and no errors seen (condone $V =$)

Q4	Solution	Mark	Total	Comment
d	<p>[Monica plays] [A, Vladimir loses] $-p - 5q$ [C, Vladimir loses] $-2p + 4q - 3(1 - p - q)$</p> <p>$-p - 5q = -1.4$ $-2p + 4q - 3(1 - p - q) = -1.4$</p> <p>$q = 0.1$ $p = 0.9,$ $(1 - p - q = 0)$</p> <p>Vladimir plays D [with probability] 0.9 plays E [with probability] 0.1 plays F [with probability] 0 (or, never plays F)</p> <p>Or,</p> <p>[A, Vladimir loses] $-p - 5(1 - p)$ [C, Vladimir loses] $-2p + 4(1 - p)$ Equating to -1.4</p> <p>$p = 0.9$</p> <p>Vladimir plays D [with probability] 0.9 plays E [with probability] 0.1 plays F [with probability] 0 (or, never plays F)</p>	<p>M1</p> <p>A1</p> <p>A1</p> <p>E1</p> <p>(M1)</p> <p>(A1)</p> <p>(A1)</p> <p>(E1)</p>	<p>4</p> <p>15</p>	<p>Either expression correct</p> <p>Both equations correct (or simplified versions eg $p + 7q = 1.6$)</p> <p>Either p or q correct</p> <p>Must have all 3 probabilities</p> <p>Either expression correct, but must have discounted F, here, or on final line</p> <p>Or, equating to each other</p> <p>Must have all 3 probabilities</p>
	Total		15	

Notes:

(b) condone required values seen in the table in the question space

(d) candidate might not use the letters p, q but use other letters eg m, n Candidates might use value of game as 1.4 and then expressions in p, q would have signs reversed, but DO NOT allow signs reversed if -1.4 is used for first **M** mark.

Q5	Solution	Mark	Total	Comment	
a	Insert table from below				
	May: 8 of their calculations/profits correct	B1 M1 A1 B1		Exactly 12 rows seen at this stage All profits correct Their 6 maxima values identified (PI by further work)	
	April: 9 or more calculations/profits correct	B1 M1 A1		Exactly 12 rows seen at this stage All profits correct	
	March: 3 or more calculations/profits correct	M1 A1		All profits correct	
	Order <i>DBCA</i>	B1			
			10		
	b	£28100	B1		Must include '£' Allow equivalent in words
				1	
		Total		11	

Stage (Month)	State (houses renovated)	Action	Calculation	Profit (£ x00's)
June	<i>A, B, C</i>	<i>D</i>		88
	<i>A, B, D</i>	<i>C</i>		83
	<i>A, C, D</i>	<i>B</i>		70
	<i>B, C, D</i>	<i>A</i>		66
May	<i>A, B</i>	<i>C</i>	$75 + 88$	163
		<i>D</i>	$81 + 83$	164 x
	<i>A, C</i>	<i>B</i>	$59 + 88$	147
		<i>D</i>	$80 + 70$	150 x
	<i>A, D</i>	<i>B</i>	$62 + 83$	145 x
		<i>C</i>	$74 + 70$	144
	<i>B, C</i>	<i>A</i>	$56 + 88$	144
		<i>D</i>	$85 + 66$	151 x
	<i>B, D</i>	<i>A</i>	$59 + 83$	142
		<i>C</i>	$77 + 66$	143 x
	<i>C, D</i>	<i>A</i>	$57 + 70$	127 x
		<i>B</i>	$60 + 66$	126
April	<i>A</i>	<i>B</i>	$60 + 164$	224 x
		<i>C</i>	$71 + 150$	221
		<i>D</i>	$75 + 145$	220
	<i>B</i>	<i>A</i>	$50 + 164$	214
		<i>C</i>	$70 + 151$	221 x
		<i>D</i>	$77 + 143$	220
	<i>C</i>	<i>A</i>	$47 + 150$	197
		<i>B</i>	$56 + 151$	207 x
		<i>D</i>	$79 + 127$	206
	<i>D</i>	<i>A</i>	$52 + 145$	197
		<i>B</i>	$68 + 143$	211 x
		<i>C</i>	$68 + 127$	195
March		<i>A</i>	$40 + 224$	264
		<i>B</i>	$55 + 221$	276
		<i>C</i>	$60 + 207$	267
		<i>D</i>	$70 + 211$	281 x

Q6	Solution	Mark	Total	Comment																																														
ai	45	B1	1																																															
ii	≤ 45 Oe in words	B1F	1																																															
b	$BD = 4$ $BE = 4$ $CD = 6$	B1 B1 B1	3																																															
ci	<table><tr><th>Edge</th><th>Forward</th><th>Back</th></tr><tr><td>AB</td><td>1</td><td>6</td></tr><tr><td>AC</td><td>1</td><td>8</td></tr><tr><td>AD</td><td>2</td><td>3</td></tr><tr><td>BE</td><td>3</td><td>2</td></tr><tr><td>BH</td><td>3</td><td>0</td></tr><tr><td>BD</td><td>4</td><td>2</td></tr><tr><td>CD</td><td>0</td><td>3</td></tr><tr><td>CF</td><td>2</td><td>1</td></tr><tr><td>DH</td><td>0</td><td>1</td></tr><tr><td>DF</td><td>0</td><td>1</td></tr><tr><td>EG</td><td>3</td><td>0</td></tr><tr><td>EH</td><td>3</td><td>0</td></tr><tr><td>FH</td><td>3</td><td>3</td></tr><tr><td>GH</td><td>2</td><td>0</td></tr></table>	Edge	Forward		Back	AB	1	6	AC	1	8	AD	2	3	BE	3	2	BH	3	0	BD	4	2	CD	0	3	CF	2	1	DH	0	1	DF	0	1	EG	3	0	EH	3	0	FH	3	3	GH	2	0	M1		Correct at least one of AB, AC, AD, DH including directions, shown on diagram
	Edge	Forward	Back																																															
	AB	1	6																																															
	AC	1	8																																															
	AD	2	3																																															
	BE	3	2																																															
	BH	3	0																																															
	BD	4	2																																															
	CD	0	3																																															
	CF	2	1																																															
	DH	0	1																																															
	DF	0	1																																															
	EG	3	0																																															
EH	3	0																																																
FH	3	3																																																
GH	2	0																																																
		A1		All correct at AB, AC, AD, DH including directions, shown on diagram																																														
		A1		All correct																																														
ii	Modifying one feasible flow correctly on diagram, must have scored M1 in part (i)	B1	3	Augmenting both increases and decreases on one flow																																														
	eg	M1		One correct flow in table																																														
	<table><tr><th>Flow</th><th>Value</th></tr><tr><td>ABEGH</td><td>1</td></tr><tr><td>ADBH</td><td>2</td></tr><tr><td>ACFH</td><td>1</td></tr></table>	Flow	Value	ABEGH	1	ADBH	2	ACFH	1	A1		Second flow correct in table																																						
	Flow	Value																																																
	ABEGH	1																																																
ADBH	2																																																	
ACFH	1																																																	
		A1	4	All correct																																														
iii	[Max flow =] 32 Diagram must have $AB = 12, AC = 11, AD = 9,$ $GH + EH + BH + DH + FH = 32$ Different possibilities for other edges	B1																																																
		B1	2	All correct																																														
	Total		14																																															

Notes:

ci Different notation may be seen eg on AB 1, 6 (reverse from standard notation), then this ‘order’ must be consistent on **all** edges

cii Flow $AD...H$ might be seen in 2 flows

Flow	Value
$AB...H$	1
$AD...H$	2
$AC...H$	1

$$\begin{array}{ccccc} x & 2 & 3 & 3 & 1 \\ 1 & 0 & 1 & 0 & 0 \\ 9 & x & 8 & 7 & 6 \\ 0 & 1 & 0 & 0 & 0 \\ 4 & x & 4 & 4 & 5 \end{array} \quad \text{or} \quad \begin{array}{ccccc} x & 0 & 5 & 4 & 1 \\ 1 & 0 & 5 & 3 & 2 \\ 1 & x & 4 & 2 & 0 \\ 0 & 1 & 4 & 3 & 2 \\ 0 & x & 4 & 3 & 3 \end{array}$$

$$\begin{array}{ccccc} x & 1 & 2 & 2 & 0 \\ 1 & 0 & 1 & 0 & 0 \\ 3 & x & 2 & 1 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & x & 0 & 0 & 1 \end{array} \quad \text{or} \quad \begin{array}{ccccc} x & 0 & 1 & 2 & 1 \\ 1 & 0 & 1 & 1 & 2 \\ 1 & x & 0 & 0 & 0 \\ 0 & 1 & 0 & 1 & 2 \\ 0 & x & 0 & 1 & 3 \end{array} \quad \text{or} \quad \begin{array}{ccccc} x & 0 & 1 & 2 & 1 \\ 1 & 0 & 1 & 1 & 2 \\ 1 & x & 0 & 0 & 0 \\ 0 & 1 & 0 & 1 & 2 \\ 0 & x & 0 & 1 & 3 \end{array}$$

$$\begin{array}{ccccc} x & 0 & 1 & 1 & 0 \\ 1 & 0 & 1 & 0 & 1 \\ 2 & x & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 1 \\ 0 & x & 0 & 0 & 2 \end{array} \quad \text{or} \quad \begin{array}{ccccc} x & 0 & 1 & 1 & 0 \\ 1 & 0 & 1 & 0 & 1 \\ 2 & x & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 1 \\ 0 & x & 0 & 0 & 2 \end{array} \quad \text{or} \quad \begin{array}{ccccc} x & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \\ 1 & x & 0 & 0 & 0 \\ 0 & 2 & 0 & 1 & 2 \\ 0 & x & 0 & 1 & 3 \end{array}$$